



SolarWise

WAGGA WAGGA

02 6971 0084

≡ COFLOW

DELTA 2 MAX



Product Overview



EcoFlowDELTA 2 Max


Main Features

1. High capacity from 2048Wh to 6144Wh with expandable design
2. LiFePO4 Battery Chemistry 3000 cycles, 6× longer than the industry average.
3. The lightest 2kWh LFP power station
4. Supports 99% of heavy-duty appliances. Charges up to 15 devices at once.
5. The world's fastest recharging methods.
 - World's fastest AC charging provided by X-Stream technology
 - The fastest solar charging
6. Most Smart app control with upgraded advanced features.
7. Ultra-fast home backup switchover. <30ms Emergency Power Supply auto-switch.
8. Multiple levels of protection for safe and reliable use.
9. Compatible with the EcoFlow ecosystem products.

Power 99% of the high-draw, for almost everything you need

Industry-leading X-Boost technology

- 2400W output to power up to **15 devices at once**. Power **appliances up to 3400W with X-Boost** on. That means during a power outage or blackout, you can continue to run your fridge, microwave, dryer, and more. Ideal power generator for backup power.



Power 99%+ of Appliances

TV (100W)  16 hr	Blender (300W)  5.4 hr	CPAP(65Wh)  25 hr	Welding Machine(1800W)  54 min	Hot Plate (2300W)  42 min
Air Conditioner (1100W)  1.48 hr	Microwave (1160W)  1.4 hr	Refrigerator(520W)  3.15 hr	Phone(10W)  153.6 times	Light Bulb (11W)  148.9 hr
Wifi Router (25W)  65.5 hr	Projector (100W)  16.3 hr	Desktop Pc(200W)  8.2 hr	Hair Dryer(1500W)  1.09 hr	Coffee Maker (550W)  2.97 hr

LFP Battery: 3000 cycles, 6×more than the industry average, for up to 10 years of everyday use

- **Premium LFP batteries for the longest-lasting battery life**

Using the same chemical makeup as Tesla batteries, DELTA 2 Max gives you 3000 cycles till it's down to 80% capacity. That's 6×more than the industry average of 500 cycles.

- **for up to 10 years of everyday use**

If used once a day, it can be safely used for about **10 years**.

- **Advanced BMS protection**

Self-regulates the voltage, current, and temperature. Charge safely with comprehensive protection.

- **Safe and stable for high performance even in high temperatures.**



DELTA 2 Max


3,000 Battery Cycles

Others

500 Battery Cycles

6× More Cycles

Harness clean solar power at the fastest speed



Fastest Solar Recharging :

Charge to full with 1000W max solar panels in 2.3 hours.

Recharge While Using:

Allows you to charge your power station with essential devices still powered, providing the next level of convenience.

No Fume, Green, Clean, Quiet Energy:

Compared with traditional generators, our DELTA 2 Max is a cleaner, quieter, and easier-to-use energy solution



220W
EcoFlowSolar Panel



400W
EcoFlowSolar Panel



400W*2=800W
EcoFlowSolar Panel

EcoFlowSolar Panel
Series

Most Smart app control with upgraded advanced features

- **Control at your fingertips**


Take control of your DELTA 2 Max and view the stats right on your phone

- **Get a bird's-eye view of your energy consumption**

Keep track of the input from solar panels, extra batteries, and smart generators, and check the output of each port on your unit.

- **Save more on electricity bills**

Prioritize the use of solar energy via the EcoFlow app when using AC + solar dual charging.



Multiple levels of protection for safe and reliable use



Product Design

- Made from safe, robust materials with a sturdy one-piece design. It can withstand severe knocks and falls. Each port is reinforced to be resistant to wear and tear.

Interior Design

- The modular electronic components fit together seamlessly and can be easily removed from the unit for maintenance. All wires are copper-plated and polymer-wrapped for enhanced cooling, safety, and strength.
- Rubber anti-slip base.
- A shell of the highest fire-resistant rating, 5VA. Comes with a strengthened handle.

Warranty

- The EcoFlow service team provides 5 years of warranty for DELTA 2 Max. Enjoy absolute peace of mind once you own it.

Compatible with the EcoFlow ecosystem products



EcoFlow Smart Generator (Dual Fuel)



EcoFlow Smart Generator



EcoFlow Wave 2



EcoFlow Micro Inverter



EcoFlow Wave



EcoFlow DELTA 2 Max

DELTA 2 Max is compatible with EcoFlow's product ecosystem, providing a one-stop power solutions for users. With the most comprehensive product ecosystem in the industry, power a new world from the **DELTA 2 Max**, the **extra batteries**, the **portable solar panels**, the **Wave 1 & Wave 2 Portable Air Conditioner**, the **Smart Generator** and so much more...

Product Specifications



Product Name	EcoFlow DELTA 2 Max	
	2048Wh to 6144Wh with expandable design	
AC Input	US	X-Stream 1800W, 15A
	JP	X-Stream 1500W, 15A
	CN	X-Stream 2000W, 10A
	230V	X-Stream 2300W, 10A
Solar Input	1000W Max, 11V-60V, 15A Max 500W per port	
AC Output	4 AC output ports	
	US	2400W (Surge 4800W), X-Boost 3400W
	JP	2000W (Surge 4000W), X-Boost 2400W
	CN	2400W (Surge 4800W), X-Boost 3000W
	230V	2400W (Surge 4800W), X-Boost 3000W
DC Output	2*USB-A / 2*USB-A fast charge / 2*USB-C 100W / 1*Car power outlet / 2*DC5521	
Battery	LFP chemistry, 3000 cycle to >80% capacity	
Connection	Wi-Fi	
Version	100-120V: US, JP 220-240V: EU, CN, Intl, UK, AU, KR	
Dimension	49.7*24.2*30.5*cm	
Weight	23.15kg	
What's in the box	tbd AC Charging Cable Car Charging Cable User Manual Warranty Card	